




# TECHNODOLLY

## CRANES

### WHITES SPECIALTY EQUIPMENT

The TechnoDolly represents the next generation in articulating cranes. The TechnoDolly is a fully repeatable 15' SuperTechno with unparalleled flexibility and versatility. The system can repeat and output the encoded pan, tilt, track, elevation, focus, iris and zoom data to an industry standard format as well as import a (Maya/3ds Max) .fbx file for playback. You can build moves through simple keyframing or standard wheels operating mode. Advanced options include disengaging the pan/tilt motors for a free-form hand held shot or record a push-to-teach tracking shot on the included 60' of track. The TechnoDolly continues to evolve, contact WFW for more information.



### TechnoDolly Specs

Max. lens height	4,69 m	15' 4"
Min. length from center to front	0,71 m	2' 3"
Max. length from center to front	3,83 m	12' 6"
Max. telescopic travel	3,12 m	10' 2"
Length from center to back	1,82 m	5' 11"
Min. overall length	2,85 m	9' 4"
Max. overall length	5,95 m	19' 6"
Door clearance wide	0,78 m	2' 6"
Door clearance high	2,03 m	6' 7"
Foot-print	1.32 x 1.2m	4' 3" x 3' 11"

### TechnoDolly Weights

Crane	570 kg	1255 lbs
Counterweights	274 kg	604 lbs
2 Axis head (with 25 kg kamera)	40 kg	88 lbs
TECHNODOLLY (incl. 25 kg camera)	884 kg	1948 lbs
One track	40 kg	88 lbs

### TechnoDolly Features

- Quick set-up time
- Extremely versatile, actor driven motion repeatable
- Multi-axis repeatable (dolly, crane, articulation, full lens function)
- Cost efficient (use as standard 15' ST when not in use for moco)
- Small arm with a large shooting area; 15' high, 25' wide, 80' long
- Super quiet operation, ideal for sound
- Very precise, better then +/- 0.2mm

Partners in Production®